

# **2014 Florida Youth Substance Abuse Survey**

**Charlotte County Data Tables**



**Table 1. Major demographic characteristics of surveyed Charlotte County and Florida Statewide, 2014**

	Charlotte County		Florida Statewide	
	N	%	N	%
<b>Sex</b>				
Female	441	53.2	33,366	50.6
Male	375	45.2	31,377	47.6
<b>Race/Ethnic group</b>				
African American	67	8.1	9,713	14.7
American Indian	24	2.9	1,334	2.0
Asian	8	1.0	1,356	2.1
Hispanic/Latino	58	7.0	10,514	16.0
Native Hawaiian/Pacific Islander	4	0.5	227	0.3
Other/Multiple	150	18.1	10,781	16.4
White, non-Hispanic	511	61.6	31,356	47.6
<b>Age</b>				
10	1	0.1	66	0.1
11	65	7.8	4,444	6.7
12	137	16.5	10,292	15.6
13	135	16.3	11,827	17.9
14	127	15.3	10,782	16.4
15	115	13.9	9,199	14.0
16	97	11.7	8,050	12.2
17	101	12.2	6,988	10.6
18	41	4.9	3,537	5.4
19 or older	5	0.6	506	0.8
<b>Grade</b>				
6th	155	18.7	11,546	17.5
7th	143	17.2	12,154	18.4
8th	132	15.9	11,481	17.4
9th	105	12.7	9,454	14.3
10th	108	13.0	8,108	12.3
11th	105	12.7	7,281	11.0
12th	81	9.8	5,893	8.9
Overall Middle School	430	51.9	35,063	53.2
Overall High School	399	48.1	30,649	46.5
<b>Total</b>	<b>829</b>	<b>100.0</b>	<b>65,917</b>	<b>100.0</b>

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

**Table 2. Percentages of Charlotte County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2014**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	22.5	47.3	38.8	35.8	23.0	46.2	37.3	25.0	56.0	44.3	40.9	26.6	56.5	42.6
Blacking Out	--	17.4	20.4	14.5	--	18.3	17.4	--	18.9	19.8	18.1	--	19.5	18.9
Cigarettes	11.9	27.4	18.8	23.9	12.2	26.0	21.1	9.8	23.6	17.2	18.0	10.1	23.5	17.6
Marijuana or Hashish	9.8	32.8	23.9	23.2	10.2	32.3	23.6	8.4	33.4	22.1	23.0	9.2	34.1	22.6
Synthetic Marijuana	--	13.6	15.5	11.8	--	13.4	13.6	--	8.8	7.7	10.0	--	8.9	8.8
Inhalants	6.3	5.1	4.9	6.1	6.0	5.7	5.6	8.6	4.9	7.2	5.8	8.3	5.0	6.5
Club Drugs	0.9	4.5	3.4	2.7	0.6	4.5	3.1	1.1	4.5	2.8	3.2	1.2	4.2	3.0
LSD, PCP or Mushrooms	2.3	5.7	3.5	5.4	2.0	6.6	4.3	1.3	5.3	2.8	4.3	1.4	5.3	3.6
Methamphetamine	0.5	1.8	1.3	1.3	0.4	1.1	1.3	0.9	1.1	0.8	1.2	0.8	1.1	1.0
Cocaine or Crack Cocaine	0.9	2.9	1.0	3.3	0.8	2.4	2.1	0.9	2.5	1.6	2.1	0.9	2.4	1.9
Heroin	0.5	0.5	0.4	0.6	0.4	0.2	0.5	0.6	0.7	0.4	0.8	0.6	0.7	0.6
Depressants	0.7	5.1	2.9	3.8	0.8	4.8	3.3	1.9	6.2	5.1	3.6	2.1	6.3	4.3
Prescription Pain Relievers	2.3	6.7	5.4	4.7	2.4	6.9	5.0	3.0	7.3	5.9	5.1	3.3	7.4	5.5
Prescription Amphetamines	2.4	4.8	3.7	4.0	1.8	5.3	3.8	1.0	5.1	3.5	3.2	1.2	5.0	3.3
Steroids (without a doctor's order)	0.1	1.1	0.1	1.4	0.1	1.0	0.7	0.5	0.8	0.3	1.0	0.5	0.8	0.7
Over-the-Counter Drugs	3.8	3.8	4.3	3.1	3.8	3.7	3.8	3.4	6.1	5.1	4.8	3.5	6.2	5.0
Any illicit drug	17.0	35.5	28.1	27.5	17.2	34.2	28.0	17.9	39.3	30.7	29.4	18.7	39.9	30.0
Any illicit drug other than marijuana	10.8	15.4	13.8	12.9	10.5	16.1	13.5	13.7	19.7	17.9	16.4	13.9	19.9	17.1
Alcohol only	12.7	17.3	15.0	16.2	13.0	17.7	15.4	14.0	22.2	19.5	17.8	14.8	22.0	18.6
Alcohol or any illicit drug	29.4	52.8	43.2	43.4	30.0	52.0	43.3	31.7	61.4	50.1	47.0	33.3	61.9	48.5
Any illicit drug, but no alcohol	7.2	5.2	4.2	7.9	7.2	5.5	6.0	6.9	5.5	5.9	6.3	6.9	5.5	6.1

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 3. Percentages of Charlotte County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2014**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	10.4	25.1	21.2	16.8	11.1	23.7	19.2	10.1	28.4	21.7	19.4	11.1	28.1	20.5
Binge Drinking	4.5	11.9	7.3	10.5	4.0	12.7	8.9	3.9	13.7	9.5	9.4	4.1	13.7	9.5
Cigarettes	3.2	10.9	7.0	8.8	2.5	11.0	7.8	2.0	7.1	4.4	5.3	2.1	6.8	4.9
Marijuana or Hashish	4.7	17.3	12.0	12.3	5.5	16.8	12.2	4.2	18.6	11.7	13.1	4.7	18.9	12.4
Synthetic Marijuana	--	1.3	1.5	1.1	--	1.7	1.3	--	1.4	1.2	1.6	--	1.5	1.4
Inhalants	2.5	1.6	0.7	3.3	1.9	1.9	1.9	3.1	1.3	2.3	1.9	2.8	1.5	2.1
Club Drugs	0.5	1.5	0.6	1.7	0.4	1.0	1.1	0.3	1.0	0.7	0.8	0.4	1.0	0.7
LSD, PCP or Mushrooms	0.8	1.1	0.9	1.1	1.0	1.1	1.0	0.6	1.4	0.8	1.2	0.6	1.4	1.0
Methamphetamine	0.9	0.3	0.4	0.8	0.8	0.4	0.6	0.4	0.5	0.4	0.6	0.4	0.5	0.5
Cocaine or Crack Cocaine	0.6	0.5	0.3	0.9	0.6	0.3	0.6	0.4	0.7	0.5	0.7	0.4	0.7	0.6
Heroin	0.4	0.0	0.3	0.0	0.3	0.0	0.1	0.3	0.3	0.2	0.3	0.2	0.3	0.3
Depressants	0.5	2.3	0.7	2.6	0.5	2.5	1.6	0.8	2.1	1.8	1.2	0.9	2.2	1.5
Prescription Pain Relievers	2.0	2.0	2.2	1.8	2.1	2.3	2.0	1.4	2.6	2.4	1.8	1.6	2.6	2.1
Prescription Amphetamines	0.8	1.7	0.8	1.9	0.4	2.5	1.3	0.5	1.7	1.1	1.1	0.6	1.6	1.2
Steroids (without a doctor's order)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.1	0.4	0.2	0.3	0.3
Over-the-Counter Drugs	1.8	2.1	1.4	2.3	2.0	1.4	1.9	1.6	2.4	2.3	1.8	1.7	2.4	2.1
Any illicit drug	9.2	18.7	13.6	16.1	9.3	18.8	14.8	8.7	22.3	16.4	16.3	9.2	22.5	16.4
Any illicit drug other than marijuana	6.4	6.5	4.1	8.8	5.9	7.0	6.4	6.2	8.5	7.9	7.0	6.2	8.7	7.5
Alcohol only	5.8	13.5	11.8	8.7	6.1	11.9	10.4	6.3	14.5	11.7	10.1	6.8	14.3	10.9
Alcohol or any illicit drug	14.9	32.0	25.6	24.3	15.3	30.4	25.0	14.8	36.3	27.9	26.1	15.9	36.4	27.0
Any illicit drug, but no alcohol	4.6	6.9	4.4	7.7	4.3	6.7	5.9	4.8	8.1	6.5	6.9	4.9	8.5	6.7

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 4. Lifetime trend in alcohol, tobacco and other drug use for Charlotte County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	50.2	78.8	66.6	47.3	73.5	63.2	34.1	70.9	56.2	33.8	61.6	50.2	29.5	59.3	47.3	22.5	47.3	37.3
Blacking Out	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	17.4	17.4
Cigarettes	31.7	51.4	43.1	25.2	41.7	35.2	19.6	37.0	30.0	19.0	40.5	31.7	15.6	36.5	28.1	11.9	27.4	21.1
Marijuana or Hashish	14.8	41.1	30.0	10.7	35.1	25.8	7.1	34.9	23.7	11.7	38.9	27.8	12.7	43.2	31.0	9.8	32.8	23.6
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	22.8	22.8	--	13.6	13.6
Inhalants	18.7	13.0	15.4	14.2	10.9	12.2	9.8	7.2	8.3	12.7	9.1	10.6	10.3	4.4	6.7	6.3	5.1	5.6
Club Drugs	--	--	--	--	--	--	1.4	--	1.4	1.4	6.3	4.3	1.7	4.4	3.3	0.9	4.5	3.1
LSD, PCP or Mushrooms	--	--	--	--	--	--	2.0	--	2.0	1.9	8.0	5.5	2.1	5.1	3.9	2.3	5.7	4.3
Methamphetamine	3.3	5.9	4.9	1.4	2.6	2.1	1.0	1.4	1.2	0.7	2.1	1.5	0.8	1.8	1.4	0.5	1.8	1.3
Cocaine or Crack Cocaine	--	--	--	--	--	--	1.7	--	1.7	1.3	5.9	4.0	1.5	5.3	3.8	0.9	2.9	2.1
Heroin	1.8	2.0	1.9	0.8	2.4	1.8	1.2	1.9	1.7	0.6	1.5	1.1	0.4	0.9	0.7	0.5	0.5	0.5
Depressants	4.6	13.6	9.9	2.5	9.5	6.7	2.0	8.6	6.0	2.9	11.1	7.8	2.6	10.1	7.1	0.7	5.1	3.3
Prescription Pain Relievers	8.1	21.5	15.8	5.0	12.1	9.3	3.8	10.9	8.0	5.0	12.8	9.6	4.5	13.0	9.6	2.3	6.7	5.0
Prescription Amphetamines	3.2	7.2	5.5	2.4	4.7	3.8	0.7	4.1	2.7	1.6	4.6	3.3	0.9	5.9	3.9	2.4	4.8	3.8
Steroids (without a doctor's order)	1.8	0.8	1.2	0.6	1.0	0.8	0.2	1.2	0.8	0.7	2.1	1.5	0.9	0.7	0.8	0.1	1.1	0.7
Over-the-Counter Drugs	--	--	--	--	--	--	3.7	--	3.7	3.1	4.9	4.2	4.0	10.8	8.0	3.8	3.8	3.8
Any illicit drug	30.4	47.1	40.1	23.1	39.1	33.0	16.9	39.7	30.6	22.7	44.1	35.3	22.8	48.9	38.4	17.0	35.5	28.0
Any illicit drug other than marijuana	25.5	29.3	27.7	18.2	22.4	20.7	13.3	22.3	18.7	18.0	23.8	21.4	16.8	23.9	21.0	10.8	15.4	13.5
Alcohol only	26.6	33.8	30.6	28.3	35.7	32.6	22.0	34.5	29.5	17.1	20.5	19.1	14.1	17.0	15.8	12.7	17.3	15.4
Alcohol or any illicit drug	56.7	80.7	70.4	51.1	74.6	65.3	38.7	74.2	60.0	39.7	64.5	54.3	36.8	66.1	54.3	29.4	52.8	43.3
Any illicit drug, but no alcohol	6.6	2.1	4.0	4.3	1.6	2.7	4.8	3.4	3.9	5.9	3.1	4.2	7.5	6.7	7.1	7.2	5.2	6.0

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Charlotte County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	25.4	50.0	39.5	23.9	45.4	36.8	15.7	43.3	32.3	14.6	36.7	27.6	13.3	35.6	26.6	10.4	25.1	19.2
Binge Drinking	11.2	29.6	21.6	9.1	27.5	20.1	5.9	23.8	16.7	8.1	20.0	15.1	5.0	19.7	13.7	4.5	11.9	8.9
Cigarettes	10.1	20.4	15.9	7.4	17.9	13.8	6.9	14.7	11.6	8.2	17.8	13.8	5.3	17.9	12.8	3.2	10.9	7.8
Marijuana or Hashish	6.8	20.4	14.7	5.0	17.2	12.6	4.5	21.4	14.6	7.4	23.0	16.6	8.4	22.0	16.5	4.7	17.3	12.2
Synthetic Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	9.6	9.6	--	1.3	1.3
Inhalants	6.1	2.2	3.9	5.5	1.1	2.9	4.8	2.0	3.1	3.5	1.7	2.4	4.2	1.9	2.8	2.5	1.6	1.9
Club Drugs	--	--	--	--	--	--	0.9	--	0.9	0.3	1.2	0.8	0.4	1.9	1.3	0.5	1.5	1.1
LSD, PCP or Mushrooms	--	--	--	--	--	--	0.9	--	0.9	0.3	2.3	1.5	0.5	2.8	1.9	0.8	1.1	1.0
Methamphetamine	0.7	1.6	1.2	0.6	0.2	0.4	0.9	0.6	0.7	0.0	0.5	0.3	0.3	1.4	1.0	0.9	0.3	0.6
Cocaine or Crack Cocaine	--	--	--	--	--	--	0.9	--	0.9	0.0	1.2	0.7	1.1	1.8	1.5	0.6	0.5	0.6
Heroin	0.6	0.5	0.5	0.2	1.1	0.7	0.4	0.7	0.6	0.0	0.0	0.0	0.5	0.7	0.6	0.4	0.0	0.1
Depressants	2.3	6.4	4.7	1.5	3.2	2.5	1.5	2.8	2.3	1.6	4.7	3.5	1.3	4.4	3.2	0.5	2.3	1.6
Prescription Pain Relievers	3.4	7.1	5.6	2.5	3.7	3.3	1.9	3.2	2.7	1.3	5.0	3.5	1.7	4.3	3.3	2.0	2.0	2.0
Prescription Amphetamines	1.5	2.4	2.0	1.4	0.9	1.1	0.3	1.7	1.1	0.6	0.8	0.7	0.1	1.0	0.7	0.8	1.7	1.3
Steroids (without a doctor's order)	0.8	0.4	0.6	0.0	0.2	0.1	0.0	1.0	0.6	0.3	1.4	1.0	0.0	0.7	0.4	0.0	0.0	0.0
Over-the-Counter Drugs	--	--	--	--	--	--	2.1	--	2.1	1.6	1.6	1.6	1.2	4.6	3.2	1.8	2.1	1.9
Any illicit drug	13.7	23.1	19.1	11.5	20.4	17.0	9.2	23.8	18.0	12.5	27.4	21.3	13.0	27.3	21.5	9.2	18.7	14.8
Any illicit drug other than marijuana	10.0	11.4	10.8	8.9	8.3	8.6	6.7	8.5	7.8	7.0	11.0	9.3	7.0	11.1	9.5	6.4	6.5	6.4
Alcohol only	16.0	29.8	23.9	15.9	28.0	23.0	10.9	23.2	18.3	7.0	15.0	11.7	5.8	16.3	12.1	5.8	13.5	10.4
Alcohol or any illicit drug	29.3	52.8	42.8	27.3	48.1	39.8	19.8	47.5	36.5	19.3	42.3	32.9	18.7	42.9	33.2	14.9	32.0	25.0
Any illicit drug, but no alcohol	4.1	3.0	3.5	3.9	2.7	3.2	4.4	4.4	4.4	4.7	5.7	5.3	5.6	7.4	6.7	4.6	6.9	5.9

Note: The first 16 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

**Table 6. Percentages of Charlotte County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, parental disapproval and peer disapproval, 2014**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<b>Early ATOD use</b>														
More than a sip of alcohol	--	19.7	16.1	23.3	--	21.3	19.7	--	21.8	20.5	23.2	--	21.7	21.8
Drinking at least once a month	--	6.1	4.1	8.1	--	6.1	6.1	--	3.9	3.9	3.9	--	3.9	3.9
Smoke cigarettes	--	16.1	13.9	18.4	--	16.3	16.1	--	11.9	10.7	13.1	--	11.9	11.9
Smoke marijuana	--	14.4	12.1	16.6	--	14.9	14.4	--	11.4	9.1	13.6	--	11.4	11.4
<b>Great risk of harm</b>														
1 or 2 drinks nearly every day	43.6	33.5	42.9	31.4	43.1	33.6	37.6	45.7	40.0	45.4	39.7	45.4	39.9	42.5
5+ drinks once or twice a week	58.2	47.3	59.8	42.7	57.9	47.0	51.6	58.8	51.4	57.7	51.7	58.8	51.5	54.6
1+ packs of cigarettes per day	69.2	64.6	65.8	66.9	70.3	62.7	66.5	68.0	70.0	69.5	68.9	68.9	69.8	69.1
Marijuana once or twice a week	53.0	24.8	40.5	31.0	52.2	23.8	36.2	53.8	25.4	39.2	36.3	51.8	25.1	37.7
Try marijuana once or twice	35.4	15.8	26.8	20.0	32.5	16.3	23.7	37.1	16.3	25.5	25.3	35.4	16.0	25.3
Use prescription drugs	73.2	71.3	76.3	66.9	74.5	70.9	72.1	71.7	70.8	72.3	70.3	72.0	70.7	71.2
<b>Think it would be wrong to...</b>														
Smoke cigarettes	95.2	80.3	87.8	84.8	95.3	81.1	86.3	94.7	83.9	88.7	88.5	94.6	85.0	88.6
Drink alcohol regularly	88.4	63.8	76.2	71.1	87.3	63.5	73.7	88.2	61.7	72.7	73.8	87.0	62.1	73.2
Smoke marijuana	86.2	62.9	74.5	69.8	84.3	62.7	72.2	89.4	62.2	75.2	72.8	88.1	62.0	74.0
Use other illicit drugs	96.0	91.1	94.7	91.1	96.1	89.5	93.0	97.4	92.9	95.2	94.5	97.2	92.9	94.8
<b>Parents think it would be wrong to...</b>														
1 or 2 drinks nearly every day	96.8	89.7	94.4	90.6	97.2	89.4	92.6	97.1	92.7	94.7	94.5	96.9	93.1	94.6
Smoke cigarettes	99.0	94.0	96.3	95.7	98.9	93.2	96.1	98.5	95.6	97.1	96.6	98.5	96.4	96.9
Smoke marijuana	95.7	88.2	91.7	91.1	95.7	87.6	91.2	96.9	88.9	92.9	91.8	96.7	89.1	92.3
Use prescription drugs	99.2	96.6	97.9	97.3	99.0	96.3	97.6	98.3	97.2	97.3	98.1	98.2	97.2	97.7
<b>Friends think it would be wrong to...</b>														
1 or 2 drinks nearly every day	88.5	74.9	82.9	77.4	87.4	75.4	80.3	90.3	76.5	84.0	81.0	89.6	76.5	82.5
Smoke tobacco	94.2	82.8	87.9	86.5	94.0	82.9	87.4	94.2	83.3	89.4	86.7	93.8	84.1	88.0
Smoke marijuana	83.0	62.2	71.4	68.8	80.6	62.4	70.5	87.9	59.0	72.8	70.2	86.0	58.9	71.5
Use prescription drugs	93.3	93.5	93.6	93.1	93.5	93.4	93.4	96.1	90.9	93.8	92.6	95.8	91.0	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.



**Table 7. Trends in early ATOD use and attitudes toward substance use for Charlotte County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b>Early ATOD use</b>																		
Try alcohol	--	39.9	39.9	--	36.2	36.2	--	33.8	33.8	--	26.2	26.2	--	22.6	22.6	--	19.7	19.7
Drink monthly	--	8.9	8.9	--	8.0	8.0	--	4.7	4.7	--	7.3	7.3	--	4.0	4.0	--	6.1	6.1
Smoke cigarettes	--	35.0	35.0	--	28.0	28.0	--	26.0	26.0	--	26.4	26.4	--	18.8	18.8	--	16.1	16.1
Smoke marijuana	--	18.7	18.7	--	15.6	15.6	--	12.1	12.1	--	16.7	16.7	--	14.1	14.1	--	14.4	14.4
<b>Great risk of harm</b>																		
Daily alcohol use	32.8	30.2	31.3	42.8	39.1	40.6	46.1	34.1	38.9	43.0	43.4	43.2	42.3	33.1	36.8	43.6	33.5	37.6
5+ drinks weekly	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	58.2	47.3	51.6
Daily cigarette use	57.8	65.8	62.4	65.7	67.7	66.9	71.3	65.3	67.7	68.9	62.7	65.2	73.5	60.9	66.0	69.2	64.6	66.5
Marijuana weekly*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	53.0	24.8	36.2
Try marijuana	37.5	18.7	26.5	40.6	25.5	31.4	48.6	19.9	31.3	40.0	21.2	28.9	36.5	15.4	23.9	35.4	15.8	23.7
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	65.8	65.8	73.2	71.3	72.1
<b>Think it wrong</b>																		
Smoke cigarettes	81.0	59.6	68.8	86.9	70.5	77.2	89.6	69.6	77.5	89.1	66.9	75.9	91.3	69.3	78.2	95.2	80.3	86.3
Drink regularly	71.1	43.1	55.0	77.1	52.4	62.5	83.3	53.9	65.4	81.4	53.5	64.8	83.6	59.6	69.3	88.4	63.8	73.7
Smoke marijuana	89.0	69.3	77.6	90.9	72.5	79.8	92.0	69.7	78.4	86.0	65.7	73.9	85.3	60.8	70.7	86.2	62.9	72.2
Use other illicit drugs	96.6	92.8	94.5	98.0	97.0	97.3	97.2	96.2	96.6	96.2	88.3	91.5	97.1	91.0	93.5	96.0	91.1	93.0
<b>Parents think it wrong</b>																		
Daily alcohol use*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	96.8	89.7	92.6
Smoke cigarettes	96.1	87.3	90.8	95.0	86.7	89.9	96.7	90.6	93.0	96.6	87.0	91.0	96.8	93.2	94.7	99.0	94.0	96.1
Smoke marijuana	97.1	90.4	93.0	97.5	90.0	92.9	96.8	90.5	93.0	97.5	85.2	90.3	95.6	87.3	90.6	95.7	88.2	91.2
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	99.2	96.6	97.6
<b>Friends think it wrong</b>																		
Daily alcohol use	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.5	74.9	80.3
Smoke tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	94.2	82.8	87.4
Smoke marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	83.0	62.2	70.5
Prescription drugs	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	93.3	93.5	93.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

\* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." Also, in 2014, the description of alcohol use in the parent disapproval question was changed from "regularly" to "nearly every day." For these items, care should be exercised when comparing 2014 data to previous years.

**Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Charlotte County and Florida Statewide youth, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.0	3.2	9.8	--	8.5	6.0	--	8.1	4.9	11.7	--	8.1	8.1
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	0.0	--	1.7	2.2	1.2	--	1.7	1.7
Bought at a public event	--	0.6	1.1	0.0	--	0.9	0.6	--	0.8	0.7	1.0	--	0.8	0.8
Someone bought it for me	--	28.5	25.2	32.9	--	29.6	28.5	--	17.5	16.3	19.1	--	17.6	17.5
Someone gave it to me	--	44.1	58.4	24.8	--	40.3	44.1	--	43.0	48.6	36.3	--	43.0	43.0
Took it from a store	--	3.7	0.0	8.7	--	3.5	3.7	--	0.3	0.2	0.5	--	0.3	0.3
Took it from a family member	--	6.5	4.5	9.1	--	7.4	6.5	--	11.0	11.5	10.5	--	11.0	11.0
Some other way	--	10.6	7.7	14.5	--	9.8	10.6	--	17.5	15.6	19.7	--	17.5	17.5

Note: The symbol "--" indicates that data are not available.

**Table 9. Among high school drinkers, usual drinking location within the past 30 days, Charlotte County and Florida Statewide youth, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	26.1	25.7	26.6	--	31.2	26.1	--	32.5	33.4	31.5	--	32.5	32.5
Another person's home	--	45.7	53.7	34.2	--	40.6	45.7	--	46.3	46.4	46.2	--	46.3	46.3
Car or other vehicle	--	4.4	4.2	4.6	--	5.2	4.4	--	1.6	1.6	1.6	--	1.6	1.6
Restaurant, bar, or club	--	0.5	0.8	0.0	--	0.6	0.5	--	2.7	3.4	1.9	--	2.7	2.7
Public place	--	3.2	3.5	2.7	--	2.9	3.2	--	3.9	4.1	3.6	--	3.9	3.9
Public event	--	0.0	0.0	0.0	--	0.0	0.0	--	1.6	1.7	1.3	--	1.6	1.6
School property	--	0.0	0.0	0.0	--	0.0	0.0	--	1.2	0.9	1.6	--	1.2	1.2
Some other place	--	20.2	12.1	31.9	--	19.4	20.2	--	10.3	8.6	12.3	--	10.3	10.3

Note: The symbol "--" indicates that data are not available.

**Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Charlotte County and Florida Statewide youth, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	25.5	20.8	32.8	--	20.1	25.5	--	26.1	29.4	22.0	--	26.0	26.1
2	--	18.5	28.3	2.9	--	18.1	18.5	--	22.5	23.9	20.7	--	22.4	22.5
3	--	13.0	21.3	0.0	--	13.5	13.0	--	16.6	17.1	16.3	--	16.7	16.6
4	--	12.4	15.0	8.3	--	15.7	12.4	--	10.6	11.4	9.9	--	10.7	10.6
5 or more	--	30.7	14.6	56.0	--	32.6	30.7	--	24.2	18.2	31.1	--	24.2	24.2

Note: The symbol "--" indicates that data are not available.

**Table 11. Percentages of Charlotte County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.1	6.8	5.1	4.8	2.4	8.1	4.9	3.6	7.3	6.0	5.4	3.7	7.7	5.7
Smoking marijuana	5.5	13.4	10.0	10.3	5.7	14.6	10.2	4.1	13.7	8.7	10.5	4.3	14.2	9.6
Used another drug to get high	1.6	4.0	2.5	3.7	1.7	3.7	3.0	1.8	4.1	3.1	3.1	1.9	4.3	3.1

**Table 12. Percentages of Charlotte County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	5.7	6.8	3.8	9.3	4.9	6.5	6.4	5.1	5.4	2.7	7.8	4.9	5.6	5.3
Selling drugs	4.1	7.2	4.6	7.6	3.6	8.5	5.9	2.1	6.9	3.1	6.6	2.1	7.3	4.9
Attempting to steal a vehicle	1.2	2.0	0.7	2.8	1.3	1.9	1.6	1.1	1.5	0.9	1.8	1.0	1.7	1.4
Being arrested	2.7	5.5	3.9	5.0	2.6	6.6	4.3	2.2	3.3	2.1	3.5	1.8	3.7	2.8
Taking a handgun to school	0.6	1.5	0.5	1.9	0.5	1.6	1.1	0.6	0.8	0.4	1.0	0.5	0.9	0.7
Getting suspended	11.5	7.8	5.1	14.2	10.6	9.4	9.3	11.0	9.7	7.4	12.9	10.1	10.7	10.3
Attacking someone with intent to harm	5.5	5.3	2.7	8.5	5.9	5.8	5.4	6.7	7.0	6.1	7.7	6.5	7.6	6.9

**Table 13. Trends in delinquent behaviors for Charlotte County, 2004 to 2014**

	2004			2006			2008			2010			2012			2014		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	3.4	5.0	4.3	4.6	4.9	4.7	2.6	5.8	4.6	6.6	5.4	5.9	4.3	5.1	4.8	5.7	6.8	6.4
Selling drugs	3.0	9.8	7.1	2.1	7.8	5.6	2.0	6.7	4.8	3.8	11.1	8.0	3.0	8.9	6.5	4.1	7.2	5.9
Attempting to steal a vehicle	2.0	2.2	2.1	3.1	2.2	2.6	0.9	3.7	2.6	0.6	2.7	1.8	1.8	4.6	3.5	1.2	2.0	1.6
Being arrested	4.2	5.6	5.0	5.2	4.1	4.5	3.6	5.4	4.7	3.3	3.8	3.6	2.3	5.7	4.4	2.7	5.5	4.3
Taking a handgun to school	0.6	1.0	0.8	1.1	0.7	0.8	0.6	2.5	1.8	0.5	0.8	0.7	0.4	1.3	0.9	0.6	1.5	1.1
Getting suspended	16.8	12.4	14.0	15.5	12.1	13.5	12.9	10.8	11.7	18.0	11.4	14.2	16.9	11.2	13.5	11.5	7.8	9.3
Attacking someone with intent to harm	14.4	12.9	13.4	16.2	12.9	14.1	8.7	12.2	10.8	11.5	11.5	11.5	8.9	7.9	8.3	5.5	5.3	5.4

**Table 14. Percentages of Charlotte County and Florida Statewide youth who reported gambling and arguing about gambling in the past 12 months, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Gambling	42.6	37.8	27.2	53.8	42.0	37.4	39.7	48.5	45.9	36.4	57.4	48.5	46.3	47.0
Arguing about gambling	10.5	8.2	5.1	13.3	9.9	9.3	9.1	13.1	11.1	9.3	14.4	13.0	11.4	12.0



**Table 15. Percentages of Charlotte County and Florida Statewide youth who reported involvement in bullying behavior, 2014**

	Charlotte County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Bullying caused worry	42.2	30.0	46.5	22.5	42.7	29.1	34.9	42.3	27.5	44.1	24.2	41.6	27.6	33.9
Skipped school because of bullying	6.0	12.9	13.9	6.0	6.6	14.3	10.1	5.6	6.2	8.7	3.3	5.7	6.4	5.9
Was kicked or shoved in past 30 days	20.5	9.8	14.3	13.7	19.4	9.1	14.1	18.1	7.5	10.7	13.3	17.2	7.8	12.1
Was taunted or teased in past 30 days	36.1	21.2	33.7	19.8	34.5	23.1	27.1	36.1	22.1	30.8	25.4	35.1	23.0	28.1
Was victim of cyber bullying in past 30 days	9.0	13.6	17.4	5.8	10.1	14.0	11.7	7.3	7.5	10.6	4.3	7.3	7.7	7.4
Physically bullied others in past 30 days	7.9	7.4	7.3	8.1	7.7	8.2	7.6	7.5	4.8	4.6	7.2	7.1	5.1	6.0
Verbally bullied others in past 30 days	12.7	12.8	14.2	11.3	12.6	13.0	12.8	14.2	10.2	11.2	12.7	13.8	10.6	12.0
Cyber bullied others in past 30 days	4.1	5.8	6.7	3.5	4.4	5.9	5.1	3.1	3.9	4.0	3.2	3.1	4.1	3.6

**Table 16. Percentages of Charlotte County and Florida Statewide youth who reported gang membership, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Have you ever belonged to a gang?	4.8	3.0	2.0	5.7	3.7	3.3	3.7	3.6	3.7	2.5	4.8	3.3	4.0	3.7
Did that gang have a name?	31.0	10.5	7.5	23.8	27.3	9.2	16.4	26.6	16.8	16.2	23.3	24.2	18.8	20.0
Are you a gang member now?	--	1.9	1.8	2.0	--	2.0	1.9	--	2.1	1.5	2.6	--	2.2	2.1

Note: The prevalence rates for “Did that gang have a name?” exclude students who reported that they have never belonged to a gang. The symbol “--” indicates that data are not available.

**Table 17. Reasons for joining a gang, reported by high school students who have belonged to a gang, among Charlotte County and Florida Statewide youth, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Fun and excitement	--	7.3	8.9	6.0	--	6.7	7.3	--	6.2	5.3	6.9	--	6.2	6.2
Protection	--	3.9	0.0	7.0	--	4.8	3.9	--	4.5	3.7	5.2	--	4.5	4.5
Friend or relative in a gang	--	1.2	1.3	1.0	--	1.5	1.2	--	4.5	3.8	5.1	--	4.5	4.5
Forced to join	--	0.6	1.3	0.0	--	0.7	0.6	--	1.6	1.9	1.4	--	1.6	1.6
To get respect	--	4.9	0.0	8.7	--	3.7	4.9	--	4.3	2.6	5.6	--	4.4	4.3
Money	--	4.6	1.7	6.9	--	3.4	4.6	--	4.6	2.4	6.2	--	4.6	4.6
To fit in better	--	1.0	0.0	1.7	--	1.2	1.0	--	1.4	1.0	1.7	--	1.4	1.4
Other reasons	--	5.1	0.0	9.0	--	3.9	5.1	--	6.6	4.9	7.9	--	6.6	6.6

Note: The symbol "--" indicates that data are not available.

**Table 18. Percentages of Charlotte County and Florida Statewide youth who reported participation in extracurricular activities, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	27.9	43.2	32.4	42.6	31.8	40.4	37.1	35.1	40.3	34.3	41.7	35.7	40.7	38.1
Organized Sports Outside of School	49.5	24.0	33.5	35.0	47.8	23.6	34.2	44.8	26.3	31.0	37.6	43.8	26.7	34.4
School Band	17.1	7.7	14.4	8.4	16.1	7.9	11.5	14.9	7.3	11.0	10.3	14.4	7.1	10.6
School Club(s)	21.4	28.9	31.5	19.7	20.7	29.1	25.9	21.2	31.4	35.1	19.4	22.2	31.1	27.0
Community Club(s)	13.3	13.0	15.9	10.2	12.9	12.6	13.1	9.5	13.8	15.1	9.0	9.8	13.6	11.9

**Table 19. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Charlotte County and Florida Statewide youth, 2014**

	Charlotte County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
<b><i>Riding in a vehicle</i></b>														
Alcohol	--	18.0	20.5	15.5	--	17.3	18.0	--	18.1	20.1	16.2	--	18.1	18.1
Marijuana	--	19.9	21.6	18.4	--	20.7	19.9	--	23.5	24.4	22.7	--	23.8	23.5
<b><i>Driving a vehicle</i></b>														
Alcohol	--	6.0	5.3	6.8	--	6.1	6.0	--	6.6	6.2	6.8	--	6.3	6.6
Marijuana	--	9.0	6.7	11.4	--	9.5	9.0	--	10.9	9.6	12.2	--	10.7	10.9

Note: The symbol "--" indicates that data are not available.

Table 20. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Charlotte County, 2012 and 2014

	2004			2006			2008			2010			2012			2014		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
<b><i>Riding in a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	23.9	23.9	--	18.0	18.0
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	26.3	26.3	--	19.9	19.9
<b><i>Driving a vehicle</i></b>																		
Alcohol	--	--	--	--	--	--	--	--	--	--	--	--	--	8.3	8.3	--	6.0	6.0
Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	15.1	15.1	--	9.0	9.0

Note: The symbol "--" indicates that data are not available.

**Table 21. Protective factor prevalence rates for Charlotte County, Florida Statewide youth and the national normative database, 2014**

Domain	Scale	Charlotte County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Rewards for Prosocial Involvement	49	66	48	61	56	63
<b>Family</b>	Family Opportunities for Prosocial Involvement	57	56	60	58	59	54
	Family Rewards for Prosocial Involvement	49	52	55	56	54	55
<b>School</b>	School Opportunities for Prosocial Involvement	44	61	51	62	57	60
	School Rewards for Prosocial Involvement	46	59	50	60	53	58
<b>Peer and Individual</b>	Religiosity	43	46	47	57	56	62
<b>Average Prevalence Rate</b>		<b>48</b>	<b>57</b>	<b>52</b>	<b>59</b>	<b>56</b>	<b>59</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 22. Risk factor prevalence rates for Charlotte County, Florida Statewide youth and the national normative database, 2014**

Domain	Scale	Charlotte County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
<b>Community</b>	Community Disorganization	44	51	44	46	47	47
	Transitions and Mobility	58	55	58	62	47	46
	Laws and Norms Favorable to Drug Use	39	36	36	33	42	42
	Perceived Availability of Drugs	41	29	40	31	45	45
	Perceived Availability of Handguns	24	40	24	37	25	42
<b>Family</b>	Poor Family Management	42	39	40	38	44	45
	Family Conflict	36	32	38	33	42	37
<b>School</b>	Poor Academic Performance	38	41	42	43	45	48
	Lack of Commitment to School	56	54	52	52	47	46
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	39	30	38	36	40	46
	Favorable Attitudes toward ATOD Use	34	39	32	38	39	45
	Early Initiation of Drug Use	23	27	25	26	41	46
<b>Average Prevalence Rate</b>		<b>40</b>	<b>39</b>	<b>39</b>	<b>40</b>	<b>42</b>	<b>45</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.



**Table 23. Protective factor prevalence rate trends among middle school students for Charlotte County, 2004 to 2014**

Domain	Scale	Charlotte County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Rewards for Prosocial Involvement	47	44	41	44	47	49
<b>Family</b>	Family Opportunities for Prosocial Involvement	51	51	54	55	56	57
	Family Rewards for Prosocial Involvement	49	47	49	48	47	49
<b>School</b>	School Opportunities for Prosocial Involvement	34	42	36	30	37	44
	School Rewards for Prosocial Involvement	36	41	39	38	41	46
<b>Peer and Individual</b>	Religiosity	48	43	52	42	45	43
<b>Average Prevalence Rate</b>		<b>44</b>	<b>45</b>	<b>45</b>	<b>43</b>	<b>46</b>	<b>48</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol "--" indicates that data are not available.

**Table 24. Risk factor prevalence rate trends among middle school students for Charlotte County, 2004 to 2014**

Domain	Scale	Charlotte County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Disorganization	48	46	53	60	52	44
	Transitions and Mobility	64	64	64	61	61	58
	Laws and Norms Favorable to Drug Use	51	49	49	46	40	39
	Perceived Availability of Drugs	60	49	53	56	44	41
	Perceived Availability of Handguns	30	32	29	33	25	24
<b>Family</b>	Poor Family Management	51	51	48	45	43	42
	Family Conflict	51	45	44	47	42	36
<b>School</b>	Poor Academic Performance	53	48	45	41	46	38
	Lack of Commitment to School	60	56	61	65	54	56
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	57	58	49	47	46	39
	Favorable Attitudes toward ATOD Use	59	49	40	45	37	34
	Early Initiation of Drug Use	56	50	34	38	32	23
<b>Average Prevalence Rate</b>		<b>56</b>	<b>49</b>	<b>43</b>	<b>47</b>	<b>44</b>	<b>40</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

**Table 25. Protective factor prevalence rate trends among high school students for Charlotte County, 2004 to 2014**

Domain	Scale	Charlotte County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Rewards for Prosocial Involvement	58	63	58	63	63	66
<b>Family</b>	Family Opportunities for Prosocial Involvement	52	46	51	55	53	56
	Family Rewards for Prosocial Involvement	53	48	54	51	50	52
<b>School</b>	School Opportunities for Prosocial Involvement	55	56	60	63	56	61
	School Rewards for Prosocial Involvement	48	51	50	56	60	59
<b>Peer and Individual</b>	Religiosity	56	51	58	55	46	46
<b>Average Prevalence Rate</b>		<b>54</b>	<b>53</b>	<b>55</b>	<b>57</b>	<b>55</b>	<b>57</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values. The symbol “--” indicates that data are not available.

**Table 26. Risk factor prevalence rate trends among high school students for Charlotte County, 2004 to 2014**

Domain	Scale	Charlotte County					
		2004	2006	2008	2010	2012	2014
<b>Community</b>	Community Disorganization	46	46	46	53	52	51
	Transitions and Mobility	68	64	64	65	61	55
	Laws and Norms Favorable to Drug Use	48	41	41	41	40	36
	Perceived Availability of Drugs	56	46	43	38	31	29
	Perceived Availability of Handguns	50	46	47	39	37	40
<b>Family</b>	Poor Family Management	51	54	48	48	43	39
	Family Conflict	38	36	39	35	35	32
<b>School</b>	Poor Academic Performance	44	41	39	41	48	41
	Lack of Commitment to School	59	53	51	49	53	54
<b>Peer and Individual</b>	Favorable Attitudes toward Antisocial Behavior	55	52	47	44	41	30
	Favorable Attitudes toward ATOD Use	51	42	43	43	46	39
	Early Initiation of Drug Use	48	41	39	36	33	27
<b>Average Prevalence Rate</b>		<b>53</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>47</b>	<b>39</b>

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.